



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico
Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia
Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)
1ra Semana



Semana: 06 al 12 de setiembre de 2015

Fecha: 11 de setiembre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA					
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA-CHUCCIO
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND
PROFUNDIDAD (m)								0-22		
TEMPERATURA (°C)								16.5		
DIATOMEAS										
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
DINOFLAGELADOS										
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
FITOFLAGELADOS										
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: Entidad de Apoyo CERPER S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

2da Semana



Semana: 13 al 19 de setiembre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA					
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA-CHUCCIO
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND
PROFUNDIDAD (m)										
TEMPERATURA (°C)										
DIATOMEAS										
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
DINOFLAGELADOS										
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
FITOFLAGELADOS										
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4
S/M: Sin Monitoreo



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

3ra Semana



Semana: 20 al 26 de setiembre de 2015

Fecha: 25 de setiembre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS				005 BAHIA INDEPENDENCIA				
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA-CHUCCIO
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND
PROFUNDIDAD (m)								0-22		
TEMPERATURA (°C)								15.5		
DIATOMEAS										
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
DINOFLAGELADOS										
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M
FITOFLAGELADOS										
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: Entidad de Apoyo CERPER S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA


SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

4ta Semana



Semana: 27 de setiembre al 03 de octubre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS				005 BAHIA INDEPENDENCIA				
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA-CHUCCIO
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND
PROFUNDIDAD (m)										
TEMPERATURA (°C)										
DIATOMEAS										
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
DINOFLAGELADOS										
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
FITOFLAGELADOS										
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo