



**ORGANISMO NACIONAL DE SANIDAD PESQUERA**  
SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA



Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Cuantitativo de Fitoplancton (Nº cel/L)

1ra Semana

Semana: 04 al 10 de octubre de 2015

Fecha: 09 de octubre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA						
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA- CHUCCIO	
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND	
PROFUNDIDAD (m)	....	....	....	....	....	....	....	0-5	5-10	10-15	....
TEMPERATURA (°C)	....	....	....	....	....	....	....	16.2	16.1	15.7	....
DIATOMEAS											
<i>Grup Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1280	480	3400	S/M
<i>Grup Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	1600	0	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
FITOFAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M

S/M: Sin Monitoreo

Fuente: Entidad de Apoyo CERPER S.A.



# ORGANISMO NACIONAL DE SANIDAD PESQUERA

## SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Cuantitativo de Fitoplancton (Nº cel/L)

2da Semana



Semana: 11 al 17 de octubre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA						
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO		LA PAMPA	EL ANCLA- CHUCCIO
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND		08-A-IND	03-A-IND
PROFUNDIDAD (m)	....	....	....	....	....	....	....	....	....	....	....
TEMPERATURA (°C)	....	....	....	....	....	....	....	....	....	....	....
DIATOMEAS											
<i>Grupo Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Grupo Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
FITOFAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M

S/M: Sin Monitoreo



**ORGANISMO NACIONAL DE SANIDAD PESQUERA**  
SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplanctón Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Cuantitativo de Fitoplancton (Nº cel/L)

3ra Semana



Semana: 18 al 24 de octubre de 2015

Fecha: 23 de octubre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA						
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO			LA PAMPA
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND			08-A-IND
PROFUNDIDAD (m)	....	....	....	....	....	....	....	0-5	5-10	10-15	....
TEMPERATURA (°C)	....	....	....	....	....	....	....	15.9	15.8	15.7	....
DIATOMEAS											
<i>Grupo Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Grupo Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	80	160	360	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	40	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	40	0	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	40	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M
FITOFAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M

S/M: Sin Monitoreo

Fuente: Entidad de Apoyo CERPER S.A.



**ORGANISMO NACIONAL DE SANIDAD PESQUERA**  
SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Ica: 006 Bahía Paracas, 003 Bahía Lagunillas, 005 Bahía Independencia

Análisis Cuantitativo de Fitoplancton (Nº cel/L)

4ta Semana



Semana: 25 al 31 de octubre de 2015

ZONAS	006 BAHIA PARACAS	003 BAHIA LAGUNILLAS			005 BAHIA INDEPENDENCIA						
AREAS	ATENAS	ARQUILLO	ZÁRATE	LA MINA LAGUNILLAS	LAGUNA GRANDE	CANASTONES	STA. ROSA	TUNGA - EL QUESO	LA PAMPA	EL ANCLA- CHUCIO	
ESTACION	01-A-PAR	01-B-LAG	04-B-LAG	02-B-LAG	01-A-IND	04-A-IND	07-A-IND	05-A-IND	08-A-IND	03-A-IND	
PROFUNDIDAD (m)	....	....	....	....	....	....	....	....	....	....	
TEMPERATURA (°C)	....	....	....	....	....	....	....	....	....	....	
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	
FITOFLAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	

S/M: Sin Monitoreo