



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

1ra Semana



Semana: 05 al 11 de abril de 2015

Fechas: 10 y 11 de abril de 2015

ZONAS	012 BAHIA DE SECHURA										
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH*	07-B-SECH*	08-C-SECH*	09-A-SECH*	10-C-SECH*	11-A-SECH
PROFUNDIDAD (m)						0-10	0-9	0-9	0-7	0-7	
TEMPERATURA (°C)						20,8	20,3	20,6	20,5	19,4	
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	1	1	1	1	1	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	1	0	0	0	0	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	1	0	1	1	1	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	1	0	0	0	0	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	1	0	0	0	0	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	1	1	1	1	1	S/M
FITOFLAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M

S/M: Sin Monitoreo

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD Pecuaria

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

2da Semana



Semana: 12 al 18 de abril de 2015

Fechas: 16 y 18 de abril de 2015

ZONAS	012 BAHIA DE SECHURA											
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO	
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH	07-B-SECH	08-C-SECH	09-A-SECH	10-C-SECH	11-A-SECH*	
PROFUNDIDAD (m)											0-6	0-6
TEMPERATURA (°C)											21,0	20,8
DIATOMEAS												
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	1
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	1
DINOFLAGELADOS												
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	1
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	1
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	0
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	0
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Karlodinium cf. veneticum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	1
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	1	1
FITOFAGELADOS												
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	0	0

S/M: Sin Monitoreo

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

3ra Semana



Semana: 19 al 25 de abril de 2015

Fecha: 25 de abril de 2015

ZONAS	012 BAHIA DE SECHURA											
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO	
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH	07-B-SECH*	08-C-SECH*	09-A-SECH*	10-C-SECH		11-A-SECH
PROFUNDIDAD (m)							0-8	0-9	0-8			
TEMPERATURA (°C)							19,8	20,7	19,6			
DIATOMEAS												
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	1	1	1	S/M	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	1	1	1	S/M	S/M	S/M
DINOFLAGELADOS												
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	1	1	1	S/M	S/M	S/M
FITOFLAGELADOS												
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	0	0	0	S/M	S/M	S/M

S/M: Sin Monitoreo

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

4ta Semana



Semana: 26 de abril al 02 de mayo de 2015

ZONAS	012 BAHIA DE SECHURA										
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH	07-B-SECH	08-C-SECH	09-A-SECH	10-C-SECH	11-A-SECH
PROFUNDIDAD (m)											
TEMPERATURA (°C)											
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Karlodinium</i> cf. <i>veneficum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M
FITOFLAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M	S/M

S/M: Sin Monitoreo

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.