



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

1ra Semana



Semana: 06 al 12 de setiembre de 2015

Fechas: 11 y 12 de setiembre de 2015

ZONAS	012 BAHIA DE SECHURA										
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH**	07-B-SECH*	08-C-SECH*	09-A-SECH*	10-C-SECH*	11-A-SECH
PROFUNDIDAD (m)	0-7	0-8	0-8	0-7	0-7
TEMPERATURA (°C)	18.3	18.9	18.5	19.6	19.6
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	S/M
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	1	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	0	1	0	0	0	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	0	1	0	1	0	S/M
FITOFLAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

2da Semana



Semana: 13 al 19 de setiembre de 2015

Fecha: 19 de setiembre de 2015

ZONAS	012 BAHIA DE SECHURA										
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH**	07-B-SECH	08-C-SECH	09-A-SECH	10-C-SECH	11-A-SECH
PROFUNDIDAD (m)	0-5
TEMPERATURA (°C)	16.4
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
DINOFITOFAGOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Alexandrium</i> sp.	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	1	S/M	S/M	S/M	S/M	S/M
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Karenia</i> sp.	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Karlodinium cf. veneticum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M
FITOFITOFAGOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	0	S/M	S/M	S/M	S/M	S/M

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico
Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)
3ra Semana



Semana: 20 al 26 de setiembre de 2015

Fechas: 24, 25 y 26 de setiembre de 2015

ZONAS	012 BAHIA DE SECHURA										
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH**	07-B-SECH*	08-C-SECH*	09-A-SECH*	10-C-SECH*	11-A-SECH*
PROFUNDIDAD (m)	0-5	0-8	0-9	0-8	0-7	0-7
TEMPERATURA (°C)	20.3	19.0	20.5	20.5	20.1	22.4
DIATOMEAS											
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	1	1	1	1	1	1
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	1	1	1	1	1	1
DINOFLAGELADOS											
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	1	0	0	0	0	0
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	1
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	0
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	1	0
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	1	0	1
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0
<i>Protoperdinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	0
FITOFLAGELADOS											
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.



ORGANISMO NACIONAL DE SANIDAD PESQUERA

SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Monitoreo de Fitoplancton Potencialmente Tóxico

Departamento de Piura: Zona 012 Sechura

Análisis Semicuantitativo de Fitoplancton / Abundancia Relativa (células/campo)

4ta Semana



Semana: 27 de setiembre al 03 de octubre de 2015

Fechas: 28 de setiembre , 02 y 03 de octubre de 2015

ZONAS	012 BAHIA DE SECHURA											
AREAS	SAN PABLO	SAN PEDRO	PLAYA CHUYILLACHI	CHUYILLACHI	MATACABALLO	CONSTANTE	LAS DELICIAS	PARACHIQUE	BARRANCOS	VICHAYO	PUERTO RICO	
ESTACION	01-A-SECH	02-A-SECH	03-A-SECH	04-A-SECH	05-C-SECH	06-A-SECH**	07-B-SECH*	08-C-SECH*	09-A-SECH*	10-C-SECH*	11-A-SECH*	
PROFUNDIDAD (m)	0-5	0-8	0-9	0-7	0-7	0-6	0-6
TEMPERATURA (°C)	22.2	20.2	20.5	20.0	19.4	21.0	19.9
DIATOMEAS												
Grupo <i>Pseudo-nitzschia delicatissima</i>	S/M	S/M	S/M	S/M	S/M	1	1	1	1	1	1	1
Grupo <i>Pseudo-nitzschia seriata</i>	S/M	S/M	S/M	S/M	S/M	1	1	0	1	1	1	0
DINOFLAGELADOS												
<i>Alexandrium minutum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Alexandrium monilatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Alexandrium ostenfeldii</i>	S/M	S/M	S/M	S/M	S/M	1	0	0	0	0	0	0
<i>Alexandrium peruvianum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Alexandrium sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Azadinium spinosum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Cochlodinium polykrikoides</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Dinophysis acuminata</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	1	1
<i>Dinophysis caudata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Dinophysis rotundata</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	1	1	1	0
<i>Dinophysis tripos</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Gonyaulax spinifera</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	0	1	0
<i>Karenia sp.</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Karlodinium cf. veneficum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Lingulodinium polyedrum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Prorocentrum lima</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Prorocentrum minimum</i>	S/M	S/M	S/M	S/M	S/M	0	1	1	1	1	0	0
<i>Protoceratium reticulatum</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0
<i>Protoperidinium crassipes</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	1	1	0
FITOFLAGELADOS												
<i>Heterosigma akashiwo</i>	S/M	S/M	S/M	S/M	S/M	0	0	0	0	0	0	0

Escala relativa de abundancia: Ausente:0, Presente:1, Escaso:2, Abundante:3, Muy Abundante:4

S/M: Sin Monitoreo

Fuente: * Entidad de Apoyo CERPER S.A.

** Entidad de Apoyo ACUILAB S.A.