



SUB DIRECCIÓN DE SUPERVISIÓN ACUÍCOLA

Departamento de Ancash / 018 - Tamborero

Monitoreo de Fitoplancton Potencialmente Tóxico

Reporte de Análisis Cuantitativo de Fitoplancton (N° cel/L)

OCTUBRE 2016



ZONAS	018-TAM-02 GRAMADAL									
N° MONITOREO	41			42			43			44(*)
SEMANA	02/10/2016 al 08/10/2016			09/10/2016 al 15/10/2016			16/10/2016 al 22/10/2016			23/10/2016 al 29/10/2016
FECHA DE MONITOREO	03/10/2016			S/M			S/M			26/10/2016
ESTACION	02-B-TAM			02-B-TAM			02-B-TAM			02-B-TAM
PROFUNDIDAD (m)	0-5	5-10	10-15	S/M	S/M	S/M	S/M	S/M	S/M	0-15
TEMPERATURA (°C)	16.8	16.6	16.4	S/M	S/M	S/M	S/M	S/M	S/M	15.64
DIATOMEAS										
Grupo <i>Pseudo-nitzschia delicatissima</i>	40	40	0	S/M	S/M	S/M	S/M	S/M	S/M	0
Grupo <i>Pseudo-nitzschia seriata</i>	40	0	40	S/M	S/M	S/M	S/M	S/M	S/M	0
DINOFLAGELADOS										
<i>Alexandrium minutum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Alexandrium monilatum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Alexandrium ostenfeldii</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Alexandrium peruvianum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Alexandrium</i> sp.	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Azadinium spinosum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Cochlodinium polykrikoides</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Dinophysis acuminata</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Dinophysis caudata</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Dinophysis rotundata</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Dinophysis tripos</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Gonyaulax spinifera</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Karenia</i> sp.	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Karlodinium</i> cf. <i>veneticum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Lingulodinium polyedrum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Prorocentrum lima</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Prorocentrum minimum</i>	40	40	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Protoceratium reticulatum</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
<i>Protoperdinium crassipes</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0
FITOFLAGELADOS										
<i>Heterosigma akashiwo</i>	0	0	0	S/M	S/M	S/M	S/M	S/M	S/M	0

S/M: Sin Monitoreo

Fuente: Entidad de Apoyo ACUILAB S.A.

(*) Fuente: Laboratorio SANIPES